XANTÉ

X-55S

One platform. More capability.
High quality, high margin, textured and
on demand prints on any flat or rigid material.



Adobe PDF

PANTONE Digital Color

Print beyond ordinary.

PRECISIONCORE PRINTHEAD powered by EPSON

X-55S UV

Versatility, engineered.

The X-55S is built for dependable UV production handling everything from large signage to specialty materials. Smart engineering, intuitive workflow, and consistent output help your shop take on more work with confidence.



High-performance Windows PC and powerful iQueue Color Workflow Software included.

Print on nearly any media

Print on wood, metal, acrylic, glass, PVC, and more up to 3" thick.

Engineered for media range

Print up to 558 sq-ft/hr

More output, less waiting, and more opportunity to bring profitable jobs in-house.

High output without the bottlenecks

Fits through any standard door

Built for simple setup. Fits through any standard door and runs on 110 Volt power.

Installation without renovations



Precision you can count on.

EPSON i-3200 printheads bring precision and reliability together.

Designed for consistent droplet placement, smooth gradients, and sharp detail across a wide range of applications. The X-Series uses EPSON i-3200 printheads to deliver reliable image quality, dependable production performance, and lower replacement cost.



AI-Powered.

Let intelligent AI software handle the work.

Adobe® PostScript® is at the core of the included iQueue Workflow and brings intelligent automation and AI tools into a system that's easy to run every day. From upscaling, AI boosts image detail, and generating images to quick edits and built-in guidance, it helps you move faster with fewer touchpoints.

Smart investment.

Performance that pays for itself.

Production-ready speed. Lower operating cost. The Xanté X-55S delivers precise UV output on virtually any media, helping you bring more work in-house and improve profits.

Up to

55″×24.5″ Full Bleed

Large-format capability. Media up to 3″ thick. The flexibility to take on more work in-house.

Up to

2880 dpi resolution

High-resolution output for sharp detail, smooth gradients, and consistent results.

Proven

Lower cost per print

Built for efficiency, lower cost per piece and stronger margins over time.

Expandable

Roll-fed printing

Optional 48-inch roll attachment adds vinyl, film, and flexible media printing.

Print

ADA compliant braille

Create ADA-compliant Braille signage with precision, consistency, and confidence.

Add

Texture to prints

Transform your designs into tactile masterpieces effortlessly.

iQueue Software

Built-in iQueue workflow lets you set up and print jobs without added software or added cost.

High-speed personalization

RightON® Spot Matching

On-media swatches with full CMYK, HSV, and RGB control.

Dependable Color Accuracy

PANTONE® Library

PMS color builds integrated in iQueue with RightON®.

Tools designed for easy use

Effortless color.

Built-in one-click PANTONE®.

Xanté's RightON® color matching technology makes spot colors simple with PANTONE® certified color matching for added confidence. Save colors for future jobs to keep results consistent while Adobe and spot colors stay accurate.



The included iQueue Workflow makes setup feel effortless. Add text, QR codes, barcodes, or graphics in seconds, with or without variable data, then save the job as a reusable template so you never repeat steps.

XANTÉ

X-55S

One Platform. More Capability.
Performance and reliability you can trust.



Max media size: 55″ x 25.5″ (140cm x 64.77cm)
Min media size: .5″ x .5″
Max print height: 3″ (7.62cm)
Vacuum bed: Integrated flatbed system
Print colors: CMYK + WWWW
Resolution: 1440 / 2160 / 2880 DPI
Visit xante.com or call us for more details and specifications.

UV lamp: Dual LED, low heat curing lamps
Ink type: UV, 500 mL bottles per color
Media types: Coroplast, PVC, wood, metal, acrylic, glass and more
Connectivity: 1-Gigabit Ethernet
iQueue Workflow: Adobe® PostScript® 3™, color control, imposition, variable data
Dimensions: 54.4″ x 94″ x 55″ (138 × 238 × 140cm)
Weight: 684 lbs (311 kg)

Adobe® PDF
PANTONE™ Digital Color
RIGHTON
XANTÉ iQueue

Xanté, the Xanté logo, iQueue, RightON (US Pat. No 8743421) are registered trademarks of Xanté Corporation. Enterprise High-Speed Feed System US Pat. No. 8939274 B1. Adobe, Adobe PDF, and PostScript 3 are registered trademarks of Adobe Systems, Incorporated. PANTONE® and all other PANTONE, Inc. trademarks are the property of PANTONE, Inc. All other trademarks or registered trademarks are the property of their respective owners.

©2026 Xante Corporation. All rights reserved.

20260911.20260911

+1 (251) 473-6502
xante.com